

Contents

Volume 55, Number 1, July 2001

Review

- 1 Apoptosis and autoimmune thyroid disease: following a TRAIL to thyroid destruction?: J.D. BRETZ AND J.R. BAKER JR

Commentary

- 13 Stressful life events and Graves' disease revisited: C.M. DAYAN (SEE PAGE 15)

Original articles

- 15 Relationship between the number and impact of stressful life events and the onset of Graves' disease and toxic nodular goitre: A. MATOS-SANTOS, E. LACERDA NOBRE, J. GARCIA E. COSTA, P.J. NOGUEIRA, A. MACEDO, A. GALVÃO-TELES AND J. JACOME DE CASTRO (FOR COMMENTARY SEE PAGE 13)
- 21 Thyroid function in survivors of childhood acute lymphoblastic leukaemia: the significance of prophylactic cranial irradiation: A. LANDO, K. HOLM, K. NYSOM, Å.K. RASMUSSEN, U. FELDT-RASMUSSEN, J.H. PETERSEN AND J. MÜLLER
- 27 Hyperthyroidism is associated with lengthening of ventricular repolarization: R.M. COLZANI, M. EMDIN, F. CONFORTI, C. PASSINO, M. SCARLATTINI AND G. IERVASI
- 33 The nature of human chorionic gonadotrophin glycoforms in gestational thyrotoxicosis: J.A. TALBOT, A. LAMBERT, C.J. ANOBILE, J.D. MCLOUGHLIN, A. PRICE, A.P. WEETMAN AND W.R. ROBERTSON
- 41 Alcohol consumption is associated with reduced prevalence of goitre and solitary thyroid nodules: N. KNUDSEN, I. BÜLOW, P. LAURBERG, H. PERRILD, L. OVESEN AND T. JØRGENSEN
- 47 Treatment of metastatic carcinoid tumours, phaeochromocytoma, paraganglioma and medullary carcinoma of the thyroid with ¹³¹I-meta-iodobenzylguanidine (¹³¹I-mIBG): J.J. MUKHERJEE, G.A. KALTSAS, N. ISLAM, P.N. PLOWMAN, R. FOLEY, J. HIKMAT, K.E. BRITTON, P.J. JENKINS, S.L. CHEW, J.P. MONSON, G.M. BESSER AND A.B. GROSSMAN
- 61 Desmopressin stimulation test before and after pituitary surgery in patients with Cushing's disease: M. LOSA,

P. MORTINI, S. DYLGJERI, R. BARZAGHI, A. FRANZIN, C. MANDELLI AND M. GIOVANELLI

- 69 The atherogenic plasma remnant-like particle cholesterol concentration is increased in the fasting and postprandial state in active acromegalic patients: TH.B. TWICKLER, G.M. DALLINGA-THIE, P.M.J. ZELISSEN, H.P.F. KOPPESSCHAAR AND D.W. ERKELENS
- 77 GH administration and discontinuation in healthy elderly men: effects on body composition, GH-related serum markers, resting heart rate and resting oxygen uptake: K. HENRIK WIBORG LANGE, F. ISAKSSON, M. HOJBY RASMUSSEN, A. JUUL, J. BÜLOW AND M. KJÆR
- 87 Increased insulin sensitivity in young, growth hormone deficient children: S. HUSBANDS, K.K.L. ONG, J. GILBERT, J.A.H. WASS AND D.B. DUNGER
- 93 Effects of 6 years of growth hormone (GH) treatment on bone mineral density in GH-deficient adults: C. CLANGET, T. SECK, V. HINKE, C. WÜSTER, R. ZIEGLER AND J. PFEILSCHIFTER
- 101 Low serum concentrations of insulin-like growth factor I are associated with femoral bone loss in a population-based sample of postmenopausal women: T. SECK, C. SCHEIDT-NAVE, G. LEIDIG-BRUCKNER, R. ZIEGLER AND J. PFEILSCHIFTER
- 107 Treatment with insulin lispro changes the insulin profile but does not affect the plasma concentrations of IGF-I and IGFBP-1 in type 1 diabetes: C.A. HEDMAN, A.-C. ORRE-PETERSSON, T. LINDSTRÖM AND H.J. ARNQVIST
- 113 Plasma leptin in chronic fatigue syndrome and a placebo-controlled study of the effects of low-dose hydrocortisone on leptin secretion: A.J. CLEARE, V. O'KEANE AND J. MIELL
- 121 Gonadotrophin releasing hormone agonist treatment with or without recombinant human GH in adopted children with early puberty: D. MUL, W. OOSTDIJK, J.J.J. WAELKENS, T.W.J. SCHULPEN AND S.L.S. DROP

Case reports

- 131 A chimeric *CYP11B1/CYP11B2* gene in glucocorticoid-insuppressible familial hyperaldosteronism: T. ISE, A. SHIMODA, H. TAKAKUWA, T. KATO, Y. IZUMIYA, K. SHIMIZU, T. SUZUKI, H. SASANO, H. YOKOYAMA AND K. KOBAYASHI
- 135 Growth hormone-releasing hormone (GHRH) and GHRH

receptor (GHRH-R) isoform expression in ectopic acromegaly: N. HAYATI OTHMAN, S. EZZAT, K. KOVACS, E. HORVATH, E. POULIN, H.S. SMYTH AND S.L. ASA

Authors' declaration

Instructions for authors

Volume 55, Number 2, August 2001

Editorial

- 141 *Clinical Endocrinology* goes electronic:
P. KENDALL-TAYLOR AND P. M. STEWART

Review

- 143 Somatic and germline mutations of the TSH receptor and thyroid diseases: B. CORVILAIN, J. VAN SANDE, J.E. DUMONT AND G. VASSART

Commentaries

- 159 The genetics of IHH—a paradox: S. SEMINARA AND W.F. CROWLEY JR. (SEE PAGE 163)
- 161 Release of leptin and its effect on hormone release from human pituitary adenomas: S.M. MCCANN

Original papers

- 163 Idiopathic gonadotrophin deficiency: genetic questions addressed through phenotypic characterization:
R. QUINTON, V.M. DUKE, A. ROBERTSON, J.M.W. KIRK, G. MATFIN, P.A. DE ZOYSA, C. AZCONA, G.S. MACCOLL, H.S. JACOBS, G.S. CONWAY, M. BESSER, R.G. STANHOPE AND P.-M.G. BOULOUX (FOR COMMENTARY SEE PAGE 159)
- 175 Bone metabolism and body composition in Japanese patients with active acromegaly: H. KAJI, T. SUGIMOTO, D. NAKAOKA, Y. OKIMURA, H. KAJI, H. ABE AND K. CHIHARA
- 183 Efficacy of radiotherapy in normalizing serum IGF-I, acid-labile subunit (ALS) and IGFBP-3 levels in acromegaly:
P. EPAMINONDA, S. PORRETTI, V. CAPPIELLO, P. BECK-PECCOZ, G. FAGLIA AND M. AROSIO
- 191 Tissue insulin sensitivity and body weight in polycystic ovary syndrome: P. J. MARSDEN, A.P. MURDOCH AND R. TAYLOR
- 201 Occurrence of ventricular late potentials in patients with active acromegaly: B.L. HERRMANN, C. BRUCH,

B. SALLER, S. FERDIN, N. DAGRES, C. OSE, R. ERBEL AND K. MANN

- 209 Coronary risk in growth hormone deficient hypopituitary adults: increased predicted risk is due largely to lipid profile abnormalities: T.A.M. ABDU, R. NEARY, T.A. ELHADD, M. AKBER AND R.N. CLAYTON
- 217 Urinary excretion of the aquaporin-2 water channel exaggerated in pathological states of impaired water excretion: T. SAITO, M. HIGASHIYAMA, T. NAKAMURA, I. KUSAKA, S. NAGASAKA, T. SAITO AND S.-E. ISHIKAWA
- 223 Autoimmune thyroid syndrome in women with Turner's syndrome – the association with karyotype: M. ELSHEIKH, J.A.H. WASS AND G.S. CONWAY
- 227 Hormone replacement therapy may improve hepatic function in women with Turner's syndrome: M. ELSHEIKH, H.J.F. HODGSON, J.A.H. WASS AND G.S. CONWAY
- 233 Weight gain following treatment of hyperthyroidism: J. DALE, J. DAYKIN, R. HOLDER, M.C. SHEPPARD AND J.A. FRANKLYN
- 241 Ras mutations are rare in solitary cold and toxic thyroid nodules: K. KROHN, A. RESKE, F. ACKERMANN, A. MÜLLER AND R. PASCHKE
- 249 Possible association but no linkage of the *HSD11B2* gene encoding the kidney isozyme of 11 β -hydroxysteroid dehydrogenase to hypertension in Black people:
P.C. WHITE, A.K. AGARWAL, A. LI, H. NIKKILA, J.H. PRATT, M. CAULFIELD, A. CLARK, C. MCERNAN AND P.M. STEWART
- 253 Additive effect of alfacalcidol on bone mineral density of the lumbar spine in Taiwanese postmenopausal women treated with hormone replacement therapy and calcium supplementation: a randomized 2-year study: M. CHEN AND S.-N. CHOW
- 259 Elderly subjects show severe impairment of dehydroepiandrosterone sulphate and reduced sensitivity of cortisol and aldosterone response to the stimulatory effect of ACTH₁₋₂₄: R. GIORDANO, L. DI VITO, F. LANFRANCO, F. BROGLIO, A. BENSO, L. GIANOTTI, S. GROTTOLE, E. GHIGO AND E. ARVAT

Case reports

- 267 Extramedullary plasmacytoma in the adrenal incidentaloma: T. KAHARA, Y. NAGAI, H. YAMASHITA, E. NOHARA, K. KOBAYASHI AND T. TAKAMURA
- 271 Dendritic cell immunotherapy in a neuroendocrine pancreas carcinoma: M. SCHOTT, J. FELDkamp, M. LETTMANN, D. SIMON, W.A. SCHERBAUM AND J. SEISSLER

279 Letters to the Editors

281 Erratum

Authors' Declaration

Instructions for Authors

Volume 55, Number 3, September 2001

Review

- 283 Controversies in the clinical evaluation of active thyroid-associated orbitopathy: use of a detailed protocol with comparative photographs for objective assessment: A.J. DICKINSON AND P. PERROS

Commentary

- 305 Are patients with acromegaly at high risk for dysrhythmias?: A. COLAO

Original articles

- 307 Marked improvement in cardiovascular function after successful transsphenoidal surgery in acromegalic patients: G. MINNITI, C. MORONI, M.-L. JAFFRAIN-REA, V. ESPOSITO, A. SANTORO, C. AFFRICANO, G. CANTORE, G. TAMBURRANO AND R. CASSONE
- 315 Randomized placebo-controlled trial of testosterone replacement in men with mild Leydig cell insufficiency following cytotoxic chemotherapy: S.J. HOWELL, J.A. RADFORD, J.E. ADAMS, E.M.A. SMETS, R. WARBURTON AND S.M. SHALET
- 325 Double-blind placebo-controlled trial of oral dehydroepiandrosterone in patients with advanced HIV disease: C. PIKETTY, D. JAYLE, A. LEPLÈGE, P. CASTIEL, E. ECOSSE, G. GONZALEZ-CANALI, B. SABATIER, N. BOULLE, B. DEBUIRE, Y. LE BOUC, E.-E. BAULIEU AND M.D. KAZATCHKINE
- 331 Sensitive LH and FSH assays for monitoring low serum levels in men undergoing steroidal contraception: D.M. ROBERTSON, E. PRUYERS, T. STEPHENSON, K. PETTERSSON, S. MORTON AND R.I. MCLACHLAN
- 341 Plasma leptin concentrations are associated with bone mineral density and the presence of vertebral fractures in postmenopausal women: M. YAMAUCHI, T. SUGIMOTO, T. YAMAGUCHI, D. NAKAOKA, M. KANZAWA, S. YANO, R. OZURU, T. SUGISHITA AND K. CHIHARA
- 349 Elevated plasma non-esterified fatty acid levels and insulin secretion in non-diabetic relatives of type 2 diabetic patients: T.J. BUTLER, L.A. BARRIOCANAL AND M. WALKER
- 357 Assessment of selective arterial calcium stimulation and hepatic venous sampling to localize insulin-secreting tumours: M. BRÄNDLE, T. PFAMMATTER, G.A. SPINAS, R. LEHMANN AND C. SCHMID
- 363 Characterization of two novel mutations in the glucocorticoid receptor gene in patients with primary cortisol resistance: M. RUIZ, U. LIND, M. GÄFVELS, J. CARLSTEDT-DUKE, L. NILSSON, M. HOLTMMAN, P. STIERNA, A.-C. WIKSTRÖM AND S. WERNER
- 373 Association of polymorphic alleles of the calcium-sensing receptor gene with the clinical severity of primary hyperparathyroidism: M. YAMAUCHI, T. SUGIMOTO, T. YAMAGUCHI, S. YANO, M. KANZAWA, A. KOBAYASHI AND K. CHIHARA
- 381 TSH-receptor antibody measurement for differentiation of hyperthyroidism into Graves' disease and multinodular toxic goitre: a comparison of two competitive binding assays: I.B. PEDERSEN, N. KNUDSEN, H. PERRILD, L. OVESEN AND P. LAURBERG
- 391 Prevalence of gestational thyrotoxicosis in Asian women evaluated in the 8th and 14th weeks of pregnancy: correlations with total and free beta human chorionic gonadotrophin: C.P. YEO, D.H. CHIN KHOO, P.H. KO ENG, H.K. TAN, S.L. YO AND E. JACOB
- 399 Germline sequence variant S836S in the *RET* proto-oncogene is associated with low level predisposition to sporadic medullary thyroid carcinoma in the Spanish population: A. RUIZ, G. ANTIÑOLO, R.M. FERNÁNDEZ, C. ENG, I. MARCOS AND S. BORREGO
- 403 Complete surgical lymph node resection does not prevent authentic recurrences of medullary thyroid carcinoma: S. FRANC, P. NICCOLI-SIRE, R. COHEN, S. BARDET, B. MAES, A. MURAT, A. KRIVITZKY, E. MODIGLIANI AND THE FRENCH MEDULLARY STUDY GROUP (GETC)

Case reports

- 411 Octreotide LAR[®] treatment throughout pregnancy in an acromegalic woman: M. FASSNACHT, B. CAPELLER, W. ARLT, T. STECK AND B. ALLOLIO
- 417 An immunologically anomalous parathyroid hormone variant causing hyperparathyroidism: W.D. ODELL, M.R. HOBBS AND B. BENOWITZ

Short communication

- 421 Marimastat therapy as adjuvant to selective embolization in skeletal metastases of differentiated thyroid carcinoma:

J.W.A. SMIT, K.M. VAN TOL, J.M. HEW, G.J. VIELVOYE,
J.A. ROMIJN AND T.P. LINKS

423 Letters to the Editors

Authors' Declaration

Instructions for Authors

Volume 55, Number 4, October 2001

Review

- 427 Is pituitary gene therapy realistic?: J.R.E. DAVIS AND
A.S. MCNEILLY

Commentaries

- 435 Laparoscopic adrenalectomy: R.W. MCCALLUM AND
J.M.C. CONNELL
437 Resistin: a new link between obesity and insulin
resistance?: A. VIDAL-PUIG AND S. O'RAHILLY

Original papers

- 439 Clinical features in women with polycystic ovaries:
relationships to insulin sensitivity, insulin gene VNTR and
birthweight: K. MICHELMORE, K. ONG, S. MASON,
S. BENNETT, L. PERRY, M. VESSEY, A. BALEN AND
D. DUNGER
447 Fat distribution in obese women is associated with subtle
alterations of the hypothalamic-pituitary-adrenal axis
activity and sensitivity to glucocorticoids: M. DUCLOS,
B. GATTA, J.-B. CORCUFF, M. RASHEDI, F. PEHOURCQ AND
P. ROGER
455 A comparison between low-dose (1 µg), standard-dose
(250 µg) ACTH stimulation tests and insulin tolerance test
in the evaluation of hypothalamo-pituitary-adrenal axis in
primary fibromyalgia syndrome: M. KIRNAP, R. ÇOLAK,
C. ESER, O. ÖZSOY, A. TUTUS AND F. KELESTIMUR
461 Effects of fasting and pegvisomant on the GH-releasing-
hormone and GH-peptide-6 stimulated GH secretion:
A.F. MULLER, J.A.M.J.L. JANSSEN, S.W.J. LAMBERTS,
M. BIDLINGMAIER, C.J. STRASBURGER, L. HOFLAND AND
A.J. VAN DER LELY
469 Paradoxical elevations in serum IGF-II and IGF binding
protein-2 in acromegaly: insights into the regulation of
these peptides: A.G. RENEHAN, A.A. TOOGOOD,
W.D. RYDER, J. JONES, C.S. POTTEN, S.T. O'DWYER AND

S.M. SHALET

- 477 Effect of Sandostatin® LAR® on sleep apnoea in
acromegaly: correlation with computerized tomographic
cephalometry and hormonal activity: M.S.M. IP,
K.C.B. TAN, W.C.G. PEH AND K.S.L. LAM
485 Thyroid function in the newborn in relation to maternal
thyroid status during labour in a mild iodine deficiency
endemic area in Sudan: A. ELTOM, M. ELTOM, M. IDRIS
AND M. GEBRE-MEDHIN
491 Histocompatibility leucocyte antigens and closely linked
immunomodulatory genes in autoimmune thyroid disease:
P. J. HUNT, S.E. MARSHALL, A.P. WEETMAN, M. BUNCE,
J.I. BELL, J.A.H. WASS AND K.I. WELSH
501 Association between lithium use and thyrotoxicosis
caused by silent thyroiditis: K.K. MILLER AND
G.H. DANIELS
509 Long-term follow-up of contralateral lobe in patients
hemithyroidectomized for solitary follicular adenoma:
H. NIEPOMNISZCZE, A. GARCIA, E. FAURE,
A. CASTELLANOS, M. DEL CARMEN ZALAZAR, G. BUR AND
B. ELSNER
515 The role of ¹²³I-diagnostic imaging in the follow-up of
patients with differentiated thyroid carcinoma as
compared to ¹³¹I-scanning: avoidance of negative
therapeutic uptake due to stunning: A. SIDDIQI,
R.R. FOLEY, K.E. BRITTON, A. SIBTAIN, P.N. PLOWMAN,
A.B. GROSSMAN, J.P. MONSON AND G.M. BESSER
523 Mothers with congenital adrenal hyperplasia and their
children: outcome of pregnancy, birth and childhood:
N. KRONE, I. WACHTER, M. STEFANIDOU, A.A. ROSCHER
AND H.P. SCHWARZ
531 Influence of implantation site and track geometry on the
extrusion rate and pharmacology of testosterone implants:
S. KELLEHER, A.J. CONWAY AND D.J. HANDELSMAN
537 Computer assisted learning is an effective way of teaching
endocrinology: R.I.G. HOLT, P. MIKLASZEWICZ,
I.C. CRANSTON, D. RUSSELL-JONES, P.J. REES AND
P.H. SÖNKSEN

Case reports

- 543 A novel chromosomal translocation t(3;5)(q12;p15.3) and
loss of heterozygosity on chromosome 22 in a multifocal
follicular variant of papillary thyroid carcinoma
presenting with skin metastases: J.W.A. SMIT,
S. VAN ZELDEREN-BHOLA, R. MERX, W. DE LEEUW,
H. WESSELS, R. VINK AND H. MORREAU
549 District clonal composition of primary and metastatic
adrenocorticotrophic hormone-producing pituitary
carcinoma: A. ZAHEDI, G.L. BOOTH, H.S. SMYTH,
W.E. FARRELL, R.N. CLAYTON, S.L. ASA AND S. EZZAT

557 Letters to the Editors

563 Errata

Authors' Declaration

Instructions for Authors

Volume 55, Number 5, November 2001

Review

- 565 New therapeutic approaches in type 1 diabetes: from prevention to cellular or gene therapies: C. THIVOLET
- 575 The role of chemotherapy in the nonsurgical management of malignant neuroendocrine tumours: G. KALTSAS, J.J. MUKHERJEE, P.N. PLOWMAN AND A.B. GROSSMAN

Commentaries

- 589 Ghrelin, not just another growth hormone secretagogue: A.A. TOOGOOD AND M.O. THORNER
- 593 Corticotrophin-releasing hormone and parturition: S. MCGRATH AND R. SMITH

Original articles

- 597 Cytotoxic T lymphocyte antigen 4 gene polymorphism confers susceptibility to Type 1 diabetes in Japanese children: analysis of association with HLA genotypes and autoantibodies: N. KIKUOKA, S. SUGIHARA, T. YANAGAWA, A. IKEZAKI, H.S. KIM, H. MATSUOKA, Y. KOBAYASHI, K. WATAKI, S. KONDA, H. SATO, S. MIYAMOTO, N. SASAKI, T. SAKAMAKI, H. NIIMI AND M. MURATA
- 605 Relationships between the TaqI polymorphism of the dopamine D2 receptor and blood pressure in hyperglycaemic and normoglycaemic Chinese subjects: G.N. THOMAS, J.A.J.H. CRITCHLEY, B. TOMLINSON, C.S. COCKRAM AND J.C.N. CHAN
- 613 Is there an increase in second brain tumours after surgery and irradiation for a pituitary tumour?: E.M. ERFURTH, B. BÜLOW, Z. MIKOCZY, G. SVAHN-TAPPER AND L. HAGMAR
- 617 Currently used growth-promoting treatment of children results in normal bone mass and density. A prospective trial of discontinuing growth hormone treatment in adolescents: H. FORS, R. BJARNASON, L. WIRÉN, K. ALBERTSSON-WIKLAND, I. BOSAEUS, B.-Å. BENGTSSON AND G. JOHANNSSON
- 625 Adrenocorticotropin stimulation tests in patients with hypothalamic-pituitary disease: low dose, standard high dose and 8-h infusion tests: E.J. NYE, J.E. GRICE, G.I. HOCKINGS, C.R. STRAKOSCH, G.V. CROSBIE, M.M. WALTERS, D.J. TORPY AND R.V. JACKSON
- 635 Plasma homocysteine is not a major risk factor for vascular disease in growth hormone deficient adults: T.A.M. ABDU, T.A. ELHADD, M. AKBER, A. HARTLAND, R. NEARY AND R.N. CLAYTON
- 639 Alcohol ingestion decreases both diurnal and nocturnal secretion of leptin in healthy individuals: S. RÖJDMARK, J. CALISSENDORFF AND K. BRISMAR
- 649 The CAG repeat polymorphism in the androgen receptor gene affects bone density and bone metabolism in healthy males: M. ZITZMANN, M. BRUNE, B. KORNMANN, J. GROMOLL, R. JUNKER AND E. NIESCHLAG
- 659 Lack of influence of the androgen receptor gene CAG-repeat polymorphism on sex steroid status and bone metabolism in elderly men: I. VAN POTTELBERGH, S. LUMBROSO, S. GOEMAERE, C. SULTAN AND J.M. KAUFMAN
- 667 Polycystic ovary syndrome after precocious pubarche: ontogeny of the low-birthweight effect: L. IBÁÑEZ, C. VALLS, N. POTAU, M.V. MARCOS AND F. DE ZEGHER
- 673 A placebo-controlled trial of long-term oral combined continuous hormone replacement therapy in postmenopausal women: effects on arterial compliance and endothelial function: H.J. TEEDE, Y.-L. LIANG, D. KOTSPOULOS, S. ZOUNGAS, R. CRAVEN AND B.P. MCGRATH
- 683 Seasonal variation in glucocorticoid receptor binding characteristics in human mononuclear leucocytes: G. BLACKHURST, P.K. MCELROY, R. FRASER, R.L. SWAN AND J.M.C. CONNELL

Case report

- 689 Malignant thymic carcinoid is not prevented by transcervical thymectomy in multiple endocrine neoplasia type 1: J.R. BURGESS, N. GILES AND J.J. SHEPHERD

695 Letters to the Editors

699 Errata

Authors' Declaration

Instructions to Authors

Volume 55, Number 6, December 2001

Reviews

- 701 The endocrinology of menstruation – a role for the immune system: H.O.D. CRITCHLEY, R.W. KELLY, R.M. BRENNER AND D.T. BAIRD
- 711 Graves' disease, thyroid nodules and thyroid cancer: A. BELFIORE, D. RUSSO, R. VIGNERI AND S. FILETTI

Commentaries

- 719 Are we in danger from an epidemic of Cushing's syndrome? Nature knows its course: J.U. WEAVER
- 723 Risk of colorectal neoplasia in acromegaly: an independent view: W. ATKIN (SEE PAGES 727 AND 731)
- 727 Colorectal neoplasia in acromegaly: P.J. JENKINS AND P.D. FAIRCLOUGH (SEE PAGES 723 AND 731)
- 731 Screening colonoscopy for acromegaly in perspective: A.G. RENEHAN, S.T. O'DWYER AND S.M. SHALET (SEE PAGES 723 AND 727)

Original articles

- 735 Prevalence and incidence of hypopituitarism in an adult Caucasian population in northwestern Spain: M. REGAL, C. PÁRAMO, J.M. SIERRA AND R.V. GARCÍA-MAYOR
- 741 Low individualized growth hormone (GH) dose increased renal and cardiac growth in young adults with childhood onset GH deficiency: K. LINK, B. BÜLOW, K. WESTMAN, E.C. SALMONSSON, J. ESKILSSON AND E.M. ERFURTH
- 749 Effect of long-term administration of recombinant human growth hormone (rhGH) on plasma erythropoietin (EPO) and haemoglobin levels in anaemic patients with adult GH deficiency: M. SOHMIYA AND Y. KATO
- 755 Effect of digoxin on the somatotroph responsiveness to growth hormone-releasing hormone (GHRH) alone or combined with arginine in normal young volunteers: F. BROGLIO, A. BENSO, C. GOTTERO, L. DI VITO, R. GRANATA, E. ARVAT, M. BOBBIO, G. TREVI AND E. GHIGO
- 759 The contribution of IGF-I to skeletal integrity in postmenopausal women: M. MUÑOZ-TORRES, P. MEZQUITA-RAYA, F. LOPEZ-RODRIGUEZ, E. TORRES-VELA, J. DE DIOS LUNA AND F. ESCOBAR-JIMENEZ
- 767 Obesity, rather than menstrual cycle pattern or follicle

cohort size, determines hyperinsulinaemia, dyslipidaemia and hypertension in ageing women with polycystic ovary syndrome: M.W. ELTING, T.J.M. KORSSEN AND J. SCHOEMAKER

- 777 Normal VLDL metabolism despite altered lipoprotein composition in type 1 diabetes mellitus: E.R. CHRIST, P.V. CARROLL, E. ALBANY, A.M. UMPLEBY, P.J. LUMB, A.S. WIERZBICKI, H.L. SIMPSON, P.H. SÖNKSEN AND D.L. RUSSELL-JONES
- 789 An ultrasensitive assay revealed age-related changes in serum oestradiol at low concentrations in both sexes from infancy to puberty: S. IKEGAMI, T. MORIWAKE, H. TANAKA, M. INOUE, T. KUBO, S. SUZUKI, S. KANZAKI AND Y. SEINO
- 797 Dehydroepiandrosterone sulphate is increased and dehydroepiandrosterone-response to corticotrophin-releasing hormone is decreased in the hyperthyroid state compared with the euthyroid state: N. YAMAKITA, T. MURAI, Y. KOKUBO, M. HAYASHI, A. AKAI AND K. YASUDA
- 805 HLA-DRB3 *0101 is associated with Graves' disease in Jamaicans: M. FISHER SMIKLE, R.W. PASCOE, E. BARTON, O. MORGAN, N. CHRISTIAN, G. DOWE, K. ROYE-GREEN, V. BAILEY AND O. JAMES
- 809 Postpartum thyroid dysfunction and postpartum depression: are they two linked disorders?: A. LUCAS, E. PIZARRO, M.L. GRANADA, I. SALINAS AND A. SANMARTÍ

Case report

- 815 Chronic hypocalcaemia due to selective skeletal resistance to parathyroid hormone: J.R. TUCCI

819 Letters to the Editors

823 Referees

825 Author Index

835 Subject Index

Author's Declaration

Instructions for Authors

